L Number	Hits	Search Text	DB	Time stamp
1	118	714/44.ccls.	USPAT;	2004/02/27
-		1 - 2 - 3 - 3 - 2 - 3 - 3 - 3 - 3 - 3 - 3	US-PGPUB;	12:23
			EPO; JPO;]
			DERWENT;	
	5309	 358/1.15.ccls.	IBM_TDB USPAT;	2004/02/27
2	5309	350/1.15.0015.	US-PGPUB;	12:23
		·	EPO; JPO;	12.23
			DERWENT;	
			IBM_TDB	
3	0	714/44.ccls. and 358/1.15.ccls.	USPAT;	2004/02/27
			US-PGPUB; EPO; JPO;	12:23
			DERWENT;	
l			IBM TDB	
4	42870	714/\$.ccls.	USPĀT;	2004/02/27
			US-PGPUB;	12:23
			EPO; JPO; DERWENT;	
			IBM TDB	
5	16	714/\$.ccls. and 358/1.15.ccls.	USPAT;	2004/02/27
			US-PGPUB;	12:37
]]			EPO; JPO;	
			DERWENT; IBM TDB	
6	446	358/1.15.ccls. and (authenticat\$4 or	USPAT;	2004/02/27
'		password\$1)	US-PGPUB;	12:38
			EPO; JPO;	
			DERWENT; IBM TDB	,
7	0	(358/1.15.ccls. and (authenticat\$4 or	USPAT;	2004/02/27
·		password\$1)) and firewall41	US-PGPUB;	12:38
			EPO; JPO;	
			DERWENT;	
8	47	(358/1.15.ccls. and (authenticat\$4 or	IBM_TDB USPAT;	2004/02/27
		password\$1)) and firewall\$1	US-PGPUB;	12:43
			EPO; JPO;	
			DERWENT;	
9	5	distributed adj asset adj management	IBM_TDB USPAT;	2004/02/27
		management	US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT;	
10	99864	(request\$3 or establish\$3) near3	<pre>IBM_TDB USPAT;</pre>	2004/02/27
•	77004	(session\$1 or connection\$1)	US-PGPUB;	13:04
		• •	EPO; JPO;	
			DERWENT;	
₁₁	2591	709/227-228.ccls.	IBM_TDB USPAT;	2004/02/27
**	2331	100,221 220.0013.	US-PGPUB;	13:05
			EPO; JPO;	
[DERWENT;	
12	73	snmp and 358/1.15.ccls.	IBM_TDB USPAT;	2004/02/27
**	/3	Simile did 550/1.15.0015.	US-PGPUB;	13:50
			EPO; JPO;	
[DERWENT;	
13	47	(data adj mover\$1) and emc.asn.	IBM_TDB USPAT;	2004/02/27
17	" "	(data adj movergr) and emc.asm.	US-PGPUB;	13:21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

14	8661	analyz\$3 near3 (frame or packet or file or header or payload)	USPAT; US-PGPUB;	2004/02/27 13:22
			EPO; JPO; DERWENT; IBM TDB	
15	11312	analyz\$3 near5(frame or packet or file or header or payload)	USPĀT; US-PGPUB;	2004/02/27
			EPO; JPO; DERWENT;	
16	0	, , , , , , , , , , , , , , , , , , , ,	IBM_TDB USPAT;	2004/02/27
		<pre>(analyz\$3 near5(frame or packet or file or header or payload))</pre>	US-PGPUB; EPO; JPO; DERWENT;	13:22
17	2033629	frame or packet or file or header or	IBM_TDB USPAT;	2004/02/27
		payload	US-PGPUB; EPO; JPO; DERWENT;	13:22
18	3052295	frame\$1 or packet\$1 or file\$1 or header\$1	IBM_TDB USPAT;	2004/02/27
		or payload\$1	US-PGPUB; EPO; JPO; DERWENT;	13:23
19	484871	(frame\$1 or packet\$1 or file\$1 or	IBM_TDB USPAT;	2004/02/27
		header\$1 or payload\$1) and "47"	US-PGPUB; EPO; JPO;	13:23
			DERWENT; IBM_TDB	
20	1577	emc.asn.	USPAT; US-PGPUB;	2004/02/27 13:23
			EPO; JPO; DERWENT;	
21	8	emc.asn. and (analyz\$3 near5(frame or	IBM_TDB USPAT;	2004/02/27
		packet or file or header or payload))	US-PGPUB; EPO; JPO; DERWENT;	13:24
22	663	(frame\$1 or packet\$1 or file\$1 or	IBM_TDB USPAT;	2004/02/27
	003	header\$1 or payload\$1) and emc.asn.	US-PGPUB; EPO; JPO;	13:24
			DERWENT; IBM TDB	
23	38832	(payload or header) near2 (information or data)	USPAT; US-PGPUB;	2004/02/27 13:25
			EPO; JPO; DERWENT;	
24	85	((payload or header) near2 (information	IBM_TDB USPAT;	2004/02/27
		or data)) and ((frame\$1 or packet\$1 or file\$1 or header\$1 or payload\$1) and	US-PGPUB; EPO; JPO;	13:25
		emc.asn.)	DERWENT; IBM_TDB	
25	28	(((payload or header) near2 (information or data)) and ((frame\$1 or packet\$1 or	USPAT; US-PGPUB;	2004/02/27 13:31
		file\$1 or header\$1 or payload\$1) and emc.asn.)) and @ad<19971030	EPO; JPO; DERWENT;	
26	123466	(transmi\$6 or send\$3 or forward\$3) near4 (section\$1 or chunk\$1)	IBM_TDB USPAT; US-PGPUB;	2004/02/27
			EPO; JPO; DERWENT;	
27	548	((payload or header) near2 (information	IBM_TDB USPAT;	2004/02/27
		or data)) same ((transmi\$6 or send\$3 or forward\$3) near4 (section\$1 or chunk\$1))	US-PGPUB; EPO; JPO;	13:30
			DERWENT; IBM_TDB	

28	7	(((payload or header) near2 (information	USPAT;	2004/02/27
		or data)) same ((transmi\$6 or send\$3 or	US-PGPUB;	13:30
		forward\$3) near4 (section\$1 or chunk\$1)))	EPO; JPO;	
		and emc.asn.	DERWENT; IBM TDB	
29	291	(transmi\$6 or send\$3 or forward\$3) near4	USPAT;	2004/02/27
29	251	chunks	US-PGPUB;	13:30
		Gitains	EPO; JPO;	20.00
			DERWENT;	
			IBM TDB	
30	23		USPĀT;	2004/02/27
		chunks) same ((payload or header) near2	US-PGPUB;	13:30
		(information or data))	EPO; JPO;	
			DERWENT;	
21		11/5	IBM_TDB	2004/02/27
31	6	(((transmi\$6 or send\$3 or forward\$3)	USPAT; US-PGPUB;	2004/02/27 13:36
		near4 chunks) same ((payload or header) near2 (information or data))) and	EPO; JPO;	13.36
		Gad<19971030	DERWENT;	
		ead<13371030	IBM TDB	
32	13	(data adj mover\$1) same ((payload or	USPAT;	2004/02/27
		header) near2 (information or data))	US-PGPUB;	13:36
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
33	54		USPAT;	2004/02/27
		((payload or header) near2 (information	US-PGPUB;	13:41
		or data))	EPO; JPO;	
			DERWENT;	
34	20	 ((transmi\$6 near3 requirement\$1) same	IBM_TDB USPAT;	2004/02/27
24	20	((payload or header) near2 (information	US-PGPUB;	13:42
		or data))) and @ad<19971030	EPO; JPO;	15.42
		OI data/// did edd(133/1030	DERWENT;	
			IBM TDB	
35	1	(transmi\$6 near3 requirement\$1) and	USPĀT;	2004/02/27
		emc.asn.	US-PGPUB;	13:36
			EPO; JPO;	
			DERWENT;	
2.5			IBM_TDB	
36	4	(data adj mover\$1) and emc.asn. and	USPAT;	2004/02/27
		((payload or header) near2 (information or data))	US-PGPUB;	13:36
		or data))	EPO; JPO; DERWENT;	
			IBM TDB	
37	655	emc.asn. and @ad<19971030	USPAT;	2004/02/27
			US-PGPUB;	13:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
38	28	[,	USPAT;	2004/02/27
		or header) near2 (information or data))	US-PGPUB;	13:39
			EPO; JPO;	
			DERWENT; IBM TDB	
39	38832	 (frame\$1 or packet\$1 or file\$1 or	USPAT;	2004/02/27
	30032	header\$1 or payload\$1) same ((payload or	US-PGPUB;	13:39
		header) near2 (information or data))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
40	937	• • · · · · · · · · · · · · · · · · ·	USPĀT;	2004/02/27
		requirement\$1) and ((frame\$1 or packet\$1	US-PGPUB;	13:44
		or file\$1 or header\$1 or payload\$1) same	EPO; JPO;	
		((payload or header) near2 (information	DERWENT;	
41	282	or data)))	IBM_TDB	2004/02/27
37	202	<pre>(((transmi\$6 send\$3 or forward\$3) near2 requirement\$1) and ((frame\$1 or packet\$1</pre>	USPAT; US-PGPUB;	13:46
		or file\$1 or header\$1 or payload\$1) same	EPO; JPO;	13.30
		((payload or header) near2 (information	DERWENT;	
		or data)))) and @ad<19971030	IBM TDB	,
	L	,,,,		L

42	186	<pre>((((transmi\$6 send\$3 or forward\$3) near2 requirement\$1) and ((frame\$1 or packet\$1 or file\$1 or header\$1 or payload\$1) same ((payload or header) near2 (information or data)))) and @ad<19971030) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 15:17
43	30	(709/\$.ccls. or 370/\$.ccls.) (((((transmi\$6 send\$3 or forward\$3) near2 requirement\$1) and ((frame\$1 or packet\$1 or file\$1 or header\$1 or payload\$1) same ((payload or header) near2 (information or data)))) and @ad<19971030) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 13:43
44	122	(((((transmis6 send\$3 or forward\$3) near2 requirement\$1) and ((frame\$1 or packet\$1 or file\$1 or header\$1 or payload\$1) same ((payload or header) near2 (information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27
45	108	or data)))) and @ad<19971030) and (709/\$.ccls. or 370/\$.ccls.)) ((header adj (information or data)) and (((((transmi\$6 send\$3 or forward\$3) near2 requirement\$1) and ((frame\$1 or packet\$1 or file\$1 or header\$1 or payload\$1) same ((payload or header) near2 (information or data)))) and @ad<19971030) and (709/\$.ccls. or 370/\$.ccls.))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 13:44
46	5	<pre>packet\$1 ((transmi\$6 send\$3 or forward\$3) near2 requirement\$1) near5 (header adj2 (information or data))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 13:45
47	9572	(header adj2 (information or data)) near4 (includ\$3 or contain\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27
48	136	((header adj2 (information or data)) near4 (includ\$3 or contain\$3)) same requirement\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
49	42	(((header adj2 (information or data)) near4 (includ\$3 or contain\$3)) same requirement\$1) and @ad<19971030	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
50	48	(snmp and 358/1.15.ccls.) and @ad<20011220	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 13:59
51	12	((snmp and 358/1.15.ccls.) and @ad<20011220) and gateway\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 13:52
52	55	((request\$3 or establish\$3) near3 (session\$1 or connection\$1)) and 358/1.15.ccls. and (firewall\$1 or gateway\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 13:59
53	38	(((request\$3 or establish\$3) near3 (session\$1 or connection\$1)) and 358/1.15.ccls. and (firewall\$1 or gateway\$1)) and @ad<20011220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 14:07

				T 0 0 0 4 / 0 0 / 0 7
54	7	((((request\$3 or establish\$3) near3	USPAT;	2004/02/27
1		(session\$1 or connection\$1)) and	US-PGPUB;	14:10
]		358/1.15.ccls. and (firewall\$1 or	EPO; JPO;	l
		gateway\$1)) and @ad<20011220) and url	DERWENT;	
55	2733	web adi service\$1	IBM_TDB USPAT;	2004/02/27
33	2/33	web adj Service\$1	US-PGPUB;	14:11
			EPO; JPO;	14.11
			DERWENT;	
1			IBM TDB	
56	217	wsdl and soap	USPAT;	2004/02/27
			US-PGPUB;	14:11
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
57	210	(web adj service\$1) and (wsdl and soap)	USPAT;	2004/02/27
			US-PGPUB;	14:12
1			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
58	1	(()	USPAT;	2004/02/27
)) and 358/1.15.ccls.	US-PGPUB;	14:13
			EPO; JPO;	
]			DERWENT;	
59	722	715/\$.ccls. and 709/\$.ccls.	IBM_TDB	2004/02/27
139	122	/15/9.CCIS. and /U9/9.CCIS.	USPAT; US-PGPUB;	14:13
			EPO; JPO;	17.13
			DERWENT;	
			IBM TDB	
60	4	(715/\$.ccls. and 709/\$.ccls.) and ((web	USPAT;	2004/02/27
	_	adj service\$1) and (wsdl and soap))	US-PGPUB;	15:02
		aay 202020042, ama (maa2 ama 20ap ,,	EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
61	28	(("4583834") or ("4497037") or	USPAT;	2004/02/27
		("5077582") or ("5184179") or ("5732212")	US-PGPUB;	15:04
		or ("6161145") or ("6205466") or	EPO; JPO;	
		("6226650") or ("6256378") or ("6298457")	DERWENT;	
		or ("6304895") or ("6317848") or	IBM_TDB	
	l .	("5890029") or ("6041041")).PN.		
62	4	((("4583834") or ("4497037") or	USPAT;	2004/02/27
		("5077582") or ("5184179") or ("5732212")	US-PGPUB;	15:06
		or ("6161145") or ("6205466") or	EPO; JPO;	
		("6226650") or ("6256378") or ("6298457") or ("6304895") or ("6317848") or	DERWENT;	
1		("5890029") or ("6041041")).PN.) and	IBM_TDB	
1		((request\$3 or establish\$3) near3		
1		(session\$1 or connection\$1))		
63	430	709/222.ccls.	USPAT;	2004/02/27
			US-PGPUB;	15:12
	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
64	3509	periodically near3 poll\$3	USPAT;	2004/02/27
			US-PGPUB;	15:12
			EPO; JPO;	
			DERWENT;	
65	1.4	/noniodigally near2 mall(2)	IBM_TDB	2004/02/27
03	14	(periodically near3 poll\$3) and 358/1.15.ccls.	USPAT; US-PGPUB;	2004/02/27 15:16
		550/ 1.15.CCIS.	EPO; JPO;	13.10
			DERWENT;	
			IBM TDB	
66	2	("20030063309").PN.	USPAT;	2004/02/27
'-	1	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	15:16
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	•	· · · · · · · · · · · · · · · · · · ·		·

				1 000 1 100 100
67	393	schedul\$3 and 358/1.15.ccls.	USPAT;	2004/02/27
			US-PGPUB;	15:17
			EPO; JPO;	
			DERWENT; IBM TDB	
68	672	 (proxy or gateway or firewall) with	USPAT;	2004/02/27
00	672	periodically	US-PGPUB;	15:21
		periodically	EPO; JPO;	13.21
			DERWENT;	1
]			IBM TDB	
69	2	((proxy or gateway or firewall) with	USPAT;	2004/02/27
		periodically) and 358/1.15.ccls.	US-PGPUB;	15:22
		,	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
70	5	questra.asn.	USPAT;	2004/02/27
			US-PGPUB;	15:23
			EPO; JPO;	
			DERWENT;	
-1	1044	- 21-	IBM TDB	2004/02/27
71	1044	a2b	USPAT;	2004/02/27
			US-PGPUB; EPO; JPO;	15.23
			DERWENT;	
			IBM TDB	
72	l 0	a2b and 358/1.15.ccls.	USPAT;	2004/02/27
'-			US-PGPUB;	15:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
73	0	(715/\$.ccls. and 709/\$.ccls.) and a2b	USPAT;	2004/02/27
			US-PGPUB;	15:23
l			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/00
74	8	709/\$.ccls. and a2b	USPAT;	2004/02/27
			US-PGPUB;	15:39
			EPO; JPO;	
			DERWENT; IBM TDB	
75	38	poll\$3 and 358/1.15.ccls. and (firewall\$1	USPAT;	2004/02/27
' "]	or proxy or proxies or gateway\$1)	US-PGPUB;	15:42
		or promy or promises or gasemayer,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
76	54	(poll\$3 or discovery) and 358/1.15.ccls.	USPAT;	2004/02/27
		and (firewall\$1 or proxy or proxies or	US-PGPUB;	15:42
		gateway\$1)	EPO; JPO;	
			DERWENT;	
	_	//862170 408) /860/12/18	IBM_TDB	0004 400 405
_	6	(("6317848") or ("6041041") or	USPAT;	2004/02/26
		("5890029")).PN.	US-PGPUB;	16:41
			EPO; JPO; DERWENT;	
			IBM TDB	
_	a	((("6317848") or ("6041041") or	USPAT;	2004/02/26
	,	("5890029")).PN.) and memory	US-PGPUB;	16:42
		,, ,,, with many	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	169905	(((("6317848") or ("6041041") or	USPAT;	2004/02/26
1		("5890029")).PN.) and memory) and tcp or	US-PGPUB;	16:42
		wireless	EPO; JPO;	
			DERWENT;	
	_	///////	IBM_TDB	0004/00/00
-	1	(((("6317848") or ("6041041") or	USPAT;	2004/02/26
		("5890029")).PN.) and memory) and (tcp	US-PGPUB;	16:50
		or wireless)	EPO; JPO;	
			DERWENT;	
	L	<u> </u>	IBM_TDB	l

-	4667	399/8-12.ccls.	USPAT;	2004/02/26
			US-PGPUB;	16:50
			EPO; JPO;	
			DERWENT;	
	05.7	714/4 1	IBM_TDB	2004/02/26
_	951	714/4.ccls.	USPAT;	2004/02/26 16:50
			US-PGPUB; EPO; JPO;	16:50
]		DERWENT;	
]		IBM TDB	
l _	4802	709/223-224.ccls.	USPAT;	2004/02/26
	1002	7037223 224.0013.	US-PGPUB;	16:50
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5309	358/1.15.ccls.	USPĀT;	2004/02/26
	İ		US-PGPUB;	16:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	32	358/1.15.ccls. and 399/8-12.ccls.	USPAT;	2004/02/26
			US-PGPUB;	16:54
	ĺ		EPO; JPO;	
			DERWENT;	
	1,505.5	/	IBM_TDB	
-	162645	1 '-	USPAT;	2004/02/26
		transmi\$8) near4 (message\$1 or email or	US-PGPUB;	16:55
		(electronic adj message\$1) or mail or (e	EPO; JPO;	
		adj mail))	DERWENT;	
l _	536	(registrat\$4 or register\$3) and	IBM_TDB USPAT;	2004/02/26
_	336	399/8-12.ccls.	US-PGPUB;	16:56
	į	39970 12.0013.	EPO; JPO;	10.30
			DERWENT;	
			IBM TDB	
_	53	((registrat\$4 or register\$3) and	USPAT;	2004/02/26
		399/8-12.ccls.) and ((generat\$4 or send\$3	US-PGPUB;	16:56
		or forward\$3 or transmi\$8) near4	EPO; JPO;	
		(message\$1 or email or (electronic adj	DERWENT;	
		<pre>message\$1) or mail or (e adj mail)))</pre>	IBM_TDB	
-	7	399/8-12.ccls. and 709/223-224.ccls.	USPAT;	2004/02/26
			US-PGPUB;	16:57
			EPO; JPO;	
			DERWENT;	
		715 /512	IBM_TDB	0004/00/00
~	1285	715/513.ccls.	USPAT;	2004/02/26
			US-PGPUB;	16:58
			EPO; JPO;	
			DERWENT;	
_	0	715/513.ccls. and 399/8-12.ccls.	USPAT;	2004/02/26
1		,10,010.0015. and 099/0 12.0015.	US-PGPUB;	16:58
1			EPO; JPO;	-0.00
1	1		DERWENT;	
1			IBM TDB	
-	12	715/513.ccls. and 358/1.15.ccls.	USPAT;	2004/02/26
		• • • • • • • •	US-PGPUB;	16:58
			EPO; JPO;	
	1	· ·	DERWENT;	
1			IBM_TDB	
-	6	gateway and 399/8-12.ccls.	USPĀT;	2004/02/26
1	ĺ		US-PGPUB;	17:07
			EPO; JPO;	
1			DERWENT;	
		144	IBM_TDB	0004400455
_	3390		USPAT;	2004/02/26
1	ĺ	transmi\$8) near4 (message\$1 or email or	US-PGPUB;	17:07
		(electronic adj message\$1) or mail or (e	EPO; JPO;	
j		adj mail))) same (html or hypertext or xml)	DERWENT;	
L		VIIIT)	IBM_TDB	

-	41	(((generat\$4 or send\$3 or forward\$3 or transmi\$8) near4 (message\$1 or email or	USPAT; US-PGPUB;	2004/02/26 17:07
		(electronic adj message\$1) or mail or (e	EPO; JPO;	17.07
		adj mail))) same (html or hypertext or	DERWENT;	
		xml)) and 358/1.15.ccls.	IBM_TDB	0004/00/06
-	41	<pre>((((generat\$4 or send\$3 or forward\$3 or transmi\$8) near4 (message\$1 or email or</pre>	USPAT; US-PGPUB;	2004/02/26
		(electronic adj message\$1) or mail or (e	EPO; JPO;	17.00
İ		adj mail))) same (html or hypertext or	DERWENT;	
		xml)) and 358/1.15.ccls.) and (internet	IBM_TDB	
	0.0	or web or network)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2004/02/26
-	26	<pre>(((((generat\$4 or send\$3 or forward\$3 or transmi\$8) near4 (message\$1 or email or</pre>	USPAT; US-PGPUB;	2004/02/26 17:08
		(electronic adj message\$1) or mail or (e	EPO; JPO;	
		adj mail))) same (html or hypertext or	DERWENT;	
		xml)) and 358/1.15.ccls.) and (internet	IBM_TDB	·
_	22	or web or network)) and (tcp or ip) (((((generat\$4 or send\$3 or forward\$3 or	USPAT;	2004/02/26
		transmi\$8) near4 (message\$1 or email or	US-PGPUB;	17:09
		(electronic adj message\$1) or mail or (e	EPO; JPO;	
		adj mail))) same (html or hypertext or	DERWENT;	
		xml)) and 358/1.15.ccls.) and (internet or web or network)) and (cellular or	IBM_TDB	
1		mobile or wireless or pda)		
-	20899	((product or model) adj number)	USPAT;	2004/02/26
			US-PGPUB; EPO; JPO;	17:10
			DERWENT;	<u> </u>
			IBM TDB	
-	2232	(((product or model) adj number)) and	USPAT;	2004/02/26
		((generat\$4 or send\$3 or forward\$3 or	US-PGPUB;	17:10
		transmi\$8) near4 (message\$1 or email or (electronic adj message\$1) or mail or (e	EPO; JPO; DERWENT;	
		adj mail)))	IBM TDB	
-	22	((((product or model) adj number)) and	USPAT;	2004/02/26
		((generat\$4 or send\$3 or forward\$3 or transmi\$8) near4 (message\$1 or email or	US-PGPUB; EPO; JPO;	17:17
		(electronic adj message\$1) or mail or (e	DERWENT;	
		adj mail)))) and 358/1.15.ccls.	IBM_TDB	
-	185	(network adj (address\$2 or id\$1 or	USPAT;	2004/02/26
		identifier\$1))and 358/1.15.ccls.	US-PGPUB; EPO; JPO;	17:20
			DERWENT;	
			IBM_TDB	
-	0	((network adj (address\$2 or id\$1 or	USPAT;	2004/02/26
		identifier\$1))and 358/1.15.ccls.) and 715/513.ccls.	US-PGPUB; EPO; JPO;	17:18
			DERWENT;	
			IBM_TDB	
-	2	1 , ,	USPAT;	2004/02/26
		identifier\$1))and 358/1.15.ccls.) and	US-PGPUB; EPO; JPO;	17:18
		, 223 221.0025.	DERWENT;	
			IBM_TDB	
-	90		USPAT;	2004/02/26
		identifier\$1))and 358/1.15.ccls.) and ((generat\$4 or send\$3 or forward\$3 or	US-PGPUB; EPO; JPO;	17:19
		transmi\$8) near4 (message\$1 or email or	DERWENT;	
		(electronic adj message\$1) or mail or (e	IBM_TDB	
_	80	adj mail))) (((network adj (address\$2 or id\$1 or	IISDAM.	2004/02/26
	""	(((network adj (address\$2 or id\$1 or identifier\$1))and 358/1.15.ccls.) and	USPAT; US-PGPUB;	17:19
		((generat\$4 or send\$3 or forward\$3 or	EPO; JPO;	= .
		transmi\$8) near4 (message\$1 or email or	DERWENT;	
		(electronic adj message\$1) or mail or (e adj mail)))) and (internet or web or www)	IBM_TDB	
	L	and (intermet of web or www)		<u> </u>

				1 2004 (02 (26
-	53		USPAT;	2004/02/26
		identifier\$1))and 358/1.15.ccls.) and	US-PGPUB;	17:20
		((generat\$4 or send\$3 or forward\$3 or	EPO; JPO;	
	1	transmi\$8) near4 (message\$1 or email or	DERWENT;	
		(electronic adj message\$1) or mail or (e	IBM_TDB	
		adj mail)))) and (internet or web or		
		www)) and @ad<20011230		
-	2574	(network adj (address\$2 or id\$1 or	USPAT;	2004/02/26
		identifier\$1))with (email or message\$1 or	US-PGPUB;	17:20
		mail)	EPO; JPO;	
		·	DERWENT;	:
	•		IBM TDB	
_	31	((network adj (address\$2 or id\$1 or	USPAT;	2004/02/26
		identifier\$1)) with (email or message\$1 or	US-PGPUB;	17:31
		mail)) and 358/1.15.ccls.	EPO; JPO;	
			DERWENT;	ł
			IBM TDB	
-	69655	remote\$2 with (analy\$4 or monitor\$3 or	USPAT;	2004/02/26
		manag\$8 or supervis\$4)	US-PGPUB;	17:38
		managy or papertaby.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	42870	714/\$.ccls.	USPAT;	2004/02/26
	42070	71179.0013.	US-PGPUB;	17:32
			EPO; JPO;	17.32
			DERWENT;	1
			IBM TDB	
	16	714/\$.ccls. and 358/1.15.ccls.	USPAT;	2004/02/26
-	10	714/3.CCIS. and 330/1.13.CCIS.	US-PGPUB;	17:32
			EPO; JPO;	17.32
1				
1			DERWENT;	
	6	/714/6 asla and 250/1 15 asla \ and	IBM_TDB USPAT;	2004/02/26
-	٥			17:32
		(remote\$2 with (analy\$4 or monitor\$3 or	US-PGPUB;	17:32
		manag\$8 or supervis\$4))	EPO; JPO;	
			DERWENT;	
	4555	700/000 004 3 3 4 3 44	IBM_TDB	0004/00/06
-	4570		USPAT;	2004/02/26
		monitor\$3 or manag\$8 or supervis\$4)	US-PGPUB;	17:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14		USPAT;	2004/02/26
		monitor\$3 or manag\$8 or supervis\$4)) and	US-PGPUB;	17:38
		358/1.15.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	